


BOTHALIA

VOLUME 40

INDEX



SOUTH AFRICAN
national
biodiversity
institute

S A N B I

ISSN 0006 8241

2010

BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 40

Scientific Editor: G. Germishuizen

Technical Editor: B.A. Momberg



SOUTH AFRICAN
national
biodiversity
institute
S A N B I

2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001


ISSN 0006 8241

2010

New combinations, genus, names, species, statuses, subgenera, subspecies and tribe in *Bothalia* 40 (2010)

- Aloe neilcrouchii* R.R.Klopper & Gideon F.Sm., sp. nov., 95
Babiana avicularis Goldblatt & J.C.Manning, sp. nov., 47
Babiana ringens subsp. **australis** Goldblatt & J.C.Manning, subsp. nov., 50
Babiana teretifolia Goldblatt & J.C.Manning, sp. nov., 51
Berkheya chrysanthemoides J.C.Manning & Goldblatt, sp. nov., 185
Brunia compacta A.V.Hall, sp. nov., 97
Bulbine macrocarpa (Bajinath) Boatwr. & J.C.Manning, comb. nov., 59
Bulbinella calcicola J.C.Manning & Goldblatt, sp. nov., 197
Cheilanthes perrieri J.P.Roux, nom. nov., 81
Colchicum albofenestratum J.C.Manning & Snijman, sp. nov., 175
Didymosalpinx callianthus J.E.Burrows & S.M.Burrows, sp. nov., 201
Elegia elephantina H.P.Linder, sp. nov., 12
Euphorbia neochamaeclada Bruyns, nom. nov., 178
Geosiris albiflora Goldblatt & J.C.Manning, sp. nov., 170
Helictotrichon rogerellisii Mashau, L.Fish & A.E.van Wyk, sp. nov., 179
Helictotrichon roggeveldense Mashau, L.Fish & A.E.van Wyk, sp. nov., 179
Heterorhachis hystrix J.C.Manning & P.O.Karis, sp. nov., 188
Ixia abbreviata var. **ovata** (Andrews) Goldblatt & J.C.Manning, comb. nov., 64
Ixia calendulacea Goldblatt & J.C.Manning, sp. nov., 60
Moraea intermedia Goldblatt & J.C.Manning, sp. nov., 147
Moraea vuvuzela Goldblatt & J.C.Manning, sp. nov., 148
Nemesia fourcadei K.E.Steiner, sp. nov., 161
Nemesia elata K.E.Steiner, sp. nov., 164
Othonna daucifolia J.C.Manning & Goldblatt, nom. nov., 37
Othonna undulosa (DC.) J.C.Manning & Goldblatt, comb. nov., 39
Oxyanthus biflorus J.E.Burrows & S.M.Burrows, sp. nov., 202
Pentameris ellisii H.P.Linder, sp. nov., 191
Platycaulos galpinii (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 8
Platycaulos mahonii (N.E.Br.) H.P.Linder & C.R.Hardy subsp. **humbertii** (Cherm.) H.P.Linder & C.R.Hardy, comb. nov., 8
Platycaulos mahonii (N.E.Br.) H.P.Linder & C.R.Hardy subsp. **mahonii**, comb. nov., 8
Platycaulos mlanjensis (H.P.Linder) H.P.Linder & C.R.Hardy, comb. nov., 8
Platycaulos quartziticola (H.P.Linder) H.P.Linder & C.R.Hardy, comb. nov., 8
Pleopeltis simiana (Schelpe & N.C.Anthony) N.R.Crouch & Klopper subsp. **simiana**, comb. nov., 102
Restio adpressus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 24
Restio affinis (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 28
Restio albotuberculatus H.P.Linder & C.R.Hardy, nom. nov., 24
Restio andreaeanus (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 24
Restio anomalus H.P.Linder sp. nov., 26
Restio asperus (Mast.) H.P.Linder & C.R.Hardy, comb. nov., 21
Restio caespitosus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 27
Restio calcicola H.P.Linder & C.R.Hardy, nom. nov., 24
Restio capensis (L.) H.P.Linder & C.R.Hardy, comb. nov., 30
Restio cedarbergensis H.P.Linder, sp. nov., 29
Restio clandestinus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 22
Restio constipatus H.P.Linder, sp. nov., 27
Restio curvibracteatus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 28
Restio distylis H.P.Linder & C.R.Hardy, nom. nov., 17
Restio durus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 24
Restio elsieae H.P.Linder, sp. nov., 28
Restio femineus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio hyalinus (Mast.) H.P.Linder & C.R.Hardy, comb. nov., 21
Restio karooicus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 28
Restio levynsiae (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 21
Restio longiaristatus (Pillans ex H.P.Linder) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio luxurians (Pillans) H.P.Linder, comb. et stat. nov., 30
Restio monostylis (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 17

Restio muirii (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 24
Restio nanus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 27
Restio nubigenus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 30
Restio nudiflorus (Pillans) H.P.Linder & C.R.Hardy, comb. nov., 22
Restio paludicola H.P.Linder, sp. nov., 22
Restio papillosus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio parthenocarpos H.P. Linder sp. nov., 30
Restio parvispiculus H.P.Linder & C.R.Hardy, nom. nov., 21
Restio pratensis (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio pulcher (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 21
Restio ramosissimus H.P.Linder & C.R.Hardy, nom. nov., 24
Restio rigidus (Mast.) H.P.Linder & C.R.Hardy, comb. nov., 21
Restio rigorus (Mast.) H.P.Linder & C.R.Hardy, comb. nov., 24
Restio rivulus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio rudolfii (Pillans) H.P.Linder & C.R.Hardy, nom. nov., 24
Restio saxatilis (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 27
Restio sporadicus (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 26
Restio subgen. **Calopsis** (Beauv. ex Desv.) H.P.Linder & C.R.Hardy, stat. nov., 20
Restio subgen. **Craspedolepis** (Steud.) H.P.Linder & C.R.Hardy, stat. nov., 17
Restio subgen. **Eremorestio** H.P.Linder & C.R.Hardy, subgen. nov., 20
Restio subgen. **Ischyrolepis** (Steud.) H.P.Linder & C.R.Hardy, stat. nov., 24
Restio subgen. **Locapsis** H.P.Linder & C.R.Hardy, subgen. nov., 23
Restio subgen. **Pendulostemon** H.P.Linder & C.R.Hardy, subgen. nov., 17
Restio subgen. **Simplicaulos** H.P.Linder & C.R.Hardy, subgen. nov., 16
Restio subgen. **Varirestio** H.P.Linder & C.R.Hardy, subgen. nov., 18
Restio tenuispicatus H.P.Linder & C.R.Hardy, nom. nov., 24
Restio unispicatus (H.P.Linder) H.P.Linder & C.R.Hardy, comb. nov., 31
Restio villosus H.P.Linder & C.R.Hardy, nom. nov., 22
Restio wittebergensis (Esterh.) H.P.Linder & C.R.Hardy, comb. nov., 28
Rhigiophylleae Eddie & Cupido, tribus nov., 113
Rhodocoma foliosa (N.E.Br.) H.P.Linder & C.R.Hardy, comb. nov., 11
Rhodocoma vleibergensis H.P.Linder, sp. nov., 11
Senecio comptonii J.C.Manning & Goldbatt, sp. nov., 193
Senecio esterhuyseniae J.C.Manning & Goldblatt, sp. nov., 195
Soroveta H.P.Linder & C.R.Hardy, gen. nov., 6
Soroveta ambigua (Mast.) H.P.Linder & C.R.Hardy, comb. nov., 6
Thamnea matroosbergensis A.V.Hall, sp. nov., 96
Trieenia occulta J.C.Manning & Goldblatt, sp. nov., 85
Zaluzianskya regalis J.C.Manning & Goldblatt, sp. nov., 87



Digitized by the Internet Archive
in 2025

CONTENTS

	Page	Date
No. 1	1–146	May 2010
No. 2	147–250	Oct. 2010

BOATWRIGHT, J.S. <i>Pearsonia mbabanensis</i> , an overlooked synonym of <i>P. sessilifolia</i> subsp. <i>marginata</i> (tribe Crotalariaeae) (Fabaceae)	83
BOATWRIGHT, J.S. & MANNING, J.C. Inclusion of the genus <i>Jodrellia</i> in <i>Bulbine</i> (Asphodelaceae: Asphodeloideae)	59
BRUYNS, P.V. A new name for <i>Euphorbia chamaeclada</i> from Angola (Euphorbiaceae)	178
BURROWS, J.E. & BURROWS, S.M. A new species of <i>Didymosalpinx</i> and a new species of <i>Oxyanthus</i> from Mozambique and Tanzania (Rubiaceae)	200
BUYS, M.H. & NORDENSTAM, B. Nomenclatural notes on <i>Echium fruticosum</i> var. <i>major</i> and var. <i>minor</i> (Boraginaceae)	90
COETZEE, J.C. Taxonomic notes on the Clathraceae (Phallales: Phallomycetidae) <i>sensu</i> Bottomley and a new key to the species in southern Africa	155
COETZEE, J.C. & VAN WYK, A.E. Taxonomic and nomenclatural notes on Bottomley's 'doubtful, unknown and insufficiently described' species of <i>Lycoperdon</i> (Lycoperdaceae: Gasteromycetes)	172
CROUCH, N.R., BEAUMONT, A. & SMITH, G.F. First description of female flowers of the dioecious <i>Adenia fruticosa</i> subsp. <i>trifoliolata</i> (Passifloraceae)	78
CROUCH, N.R. & EDWARDS, R. First record of <i>Geophila</i> in southern Africa (Rubiaceae)	70
CROUCH, N.R. & KLOPPER, R.R. Notes on some naturalized ferns of the Eastern Cape and KwaZulu-Natal (Pteridophyta)	71
CROUCH, N.R., KLOPPER, R.R. & GLEN, H.F. The status of \times <i>Pleopodium</i> in Africa (Pteridophyta: Polypodiaceae)	101
CROUCH, N.R. & STYLES, D.G.A. Rediscovery in South Africa of the neglected African vegetable <i>Plectranthus esculentus</i> (Lamiaceae)	65
CROUCH, N.R., WILLIAMS, V.L., EDWARDS, T.J. & BRUETON, V.J. <i>Drimia cooperi</i> in KwaZulu-Natal, and the ethnomedicinal trade (Hyacinthaceae)	75
DAEMANE, M.E., VAN WYK, B-E. & MOTEETEE, A. Checklist of ferns and seed plants of the Golden Gate Highlands National Park, South Africa	205
EDDIE, W.M.M., CUPIDO, C.N. & SKVARLA, J.J. Pollen and reproductive morphology of <i>Rhigiophyllum</i> and <i>Siphocodon</i> (Campanulaceae): two unique genera of the fynbos vegetation of South Africa	103
GOLDBLATT, P. & MANNING, J.C. New taxa of <i>Babiana</i> (Iridaceae: Crocoideae) from coastal Western Cape, South Africa	47
GOLDBLATT, P. & MANNING, J.C. Reappraisal of <i>Ixia maculata</i> with <i>I. calendulacea</i> sp. nov., and an earlier name for <i>I. lutea</i> (Iridaceae)	59
GOLDBLATT, P. & MANNING, J.C. <i>Moraea intermedia</i> and <i>M. vuvuzela</i> (Iridaceae–Iridoideae), two new species from western South Africa, and some nomenclatural changes and range extensions in the genus	147
GOLDBLATT, P. & MANNING, J.C. <i>Geosiris albiflora</i> (Iridaceae: Geosiridoideae), a new species from the Comoro Archipelago	169
GROBLER, A. & VAN WYK, A.E. Taxonomic status of <i>Elephantorrhiza rangei</i> (Fabaceae: Mimosoideae)	183
HALL, A.V., OLIVER, E.G.H. & CLABEN-BOCKHOFF, R. New species of <i>Thamnea</i> and <i>Brunia</i> from Western Cape, South Africa (Bruniaceae)	96
KLOPPER, R.R. & CROUCH, N.R. New distribution records and noteworthy collections of pteridophytes in KwaZulu-Natal (Pteridophyta)	68
KLOPPER, R.R. & SMITH, G.F. <i>Aloe neilcrouchii</i> , a new robust leptaloe from KwaZulu-Natal, South Africa (Asphodelaceae: Aloioideae)	93
KLOPPER, R.R. & SMITH, G.F. Reinstatement of <i>Aloe spectabilis</i> (Asphodelaceae: Aloioideae)	91
KLOPPER, R.R., BESTER, S.P. & SMITH, G.F. Range extension records from the southern Drakensberg, Eastern Cape, South Africa (Pteridophyta)	82
LEISTNER, O.A. Obituary: Michael John Wells (1935–2010)	227

LINDER, H.P. A new species of <i>Pentameris</i> from Jonaskop, South Africa (Poaceae)	190
LINDER, H.P. & HARDY, C.R. A generic classification of the Restioneae (Restionaceae), southern Africa	1
MANNING, J.C. & GOLDBLATT, P. New synonyms and a new name in Asteraceae: Senecioneae from the southern African winter rainfall region	37
MANNING, J.C. & GOLDBLATT, P. Two new species of Limoselleae from western South Africa: <i>Trieenia</i> <i>occulta</i> and <i>Zaluzianskya regalis</i> (Scrophulariaceae)	84
MANNING, J.C. & GOLDBLATT, P. <i>Senecio comptonii</i> and <i>S. esterhuyseniae</i> , two new species of <i>Senecio</i> <i>sens. lat.</i> (Asteraceae: Senecioneae) from the Cape Floristic Region	193
MANNING, J.C. & GOLDBLATT, P. <i>Bulbinella calcicola</i> , a new species from Saldanha Bay, Western Cape (Asphodelaceae)	197
MANNING, J.C., KARIS, P.O., GOLDBLATT, P. & HELME, N.A. <i>Berkheya chrysanthemoides</i> and <i>Heterorhachis hystrix</i> , two new species of Arctotideae–Gorteriinae from the southwestern Cape (Asteraceae)	185
MASHAU, A.C., FISH, L. & VAN WYK, A.E. Two new species of <i>Helictotrichon</i> (Poaceae: Pooideae: Aveneae) from South Africa	179
MASHAU, A.C., FISH, L. & VAN WYK, A.E. The correct author citation of <i>Helictotrichon</i> (Poaceae: Pooideae: Aveneae)	184
MOMBERG, B.A. Compiler: South African National Biodiversity Institute: publications 1 January 2009 to 31 December 2009	233
NEWTON, I.P. & KNIGHT, R.S. How homogeneous is West Coast Renosterveld? Implications for conserva- tion	219
OBERLANDER, K.C., DREYER, L.L. & ROETS, F. Rediscovery and phylogenetic position of the rare <i>Oxalis purpurata</i> (Oxalidaceae)	177
RETIEF, E. & CROUCH, N.R. The status of <i>Cyphostemma unguiformifolium</i> in southern Africa (Vitaceae) . . .	167
ROUX, J.P. <i>Cheilanthes perrieri</i> J.P.Roux, nom. nov. (Pteridaceae), correcting a nomenclatural error (Pteridophyta)	81
ROUX, J.P. The correct author citation for <i>Cheilanthes marlothii</i> (Pteridophyta: Sinopteridaceae)	84
SIEBEN, E.J.J., KOTZE, D.C. & MORRIS, C.D. Floristic composition of wetlands of the South African section of the Maloti-Drakensberg Transfrontier Park	117
SIEBERT, S.J., ZOBOLO, A.M. & DOWE, J.L. <i>Livistona chinensis</i> , a first record of a naturalized palm in South Africa (Arecaceae)	55
SMITH, G.F. Obituary: Santiago Castroviejo Bolibar (1946–2009)	145
SNIJMAN, D.A. & MANNING, J.C. <i>Colchicum albofenestratum</i> , a new species from Namaqualand, South Africa (Colchicaceae)	175
STEINER, K.E. Two new species of <i>Nemesia</i> (Scrophulariaceae) from the southern Cape, South Africa . . .	161
TRAYNOR, C.H., KOTZE, D.C. & MCKEAN, S.G. Wetland craft plants in KwaZulu-Natal: an ecological review of harvesting impacts and implications for sustainable utilization	135
ZIETSMAN, P.C. & SMITH, G.F. Occurrence of <i>Haworthia bolusii</i> var. <i>blackbeardiana</i> in the Free State, South Africa (Asphodelaceae)	58

INDEX

- Acrostichum squamosum* sensu Hook., 82
Adenia fruticosa subsp. *trifoliolata* De Wilde, 78
 Africa, 101
 South, 47, 55, 58, 65, 82, 84, 93, 96, 103, 117, 147, 161, 175, 179, 190, 205, 219
 southern, 1, 37, 70, 155, 167
 African vegetable, 65
 Aloe
 ferox auct., sensu A.Berger, non Mill., 92
 var. *xanthostachys* A.Berger, 93
 neilrouchii R.R.Klopper & Gideon F.Sm., 95
 spectabilis Reynolds, 92
 Aloooideae, subfamily, Asphodelaceae, 91, 93
 altitude, 117
 Aluka website, 37
 Amauropelta
 bergiana (Schltdl.) Holttum var. *calva* Holttum, 69
 oppositiformis (C.Chr.) Holttum, 68
 Angola, 178
 Arctotideae, tribe, Asteraceae, 185
 Areaceae, 55
 Aseroë Labill., 156
 rubra Labill., 157
 Askidiosperma Steud., 14
 albo-aristatum (Pillans) H.P.Linder, 15
 alticolum (Esterh.) H.P.Linder, 15
 andreaeanum (Pillans) H.P.Linder, 15
 capitatum Steud., 15
 chartaceum (Pillans) H.P.Linder, 15
 delicatulum H.P.Linder, 15
 esterhuyseniae (Pillans) H.P.Linder, 15
 insigne (Pillans) H.P.Linder, 15
 longiflorum (Pillans) H.P.Linder, 15
 nitidum (Mast.) H.P.Linder, 15
 paniculatum (Mast.) H.P.Linder, 15
 rugosum Esterh., 15
 Asphodelaceae, 58, 59, 91, 93, 197
 Asphodeloideae, subfamily, Asphodelaceae, 59
 Asteraceae, 37, 185, 193
 author citation, 84, 184
 Aveneae, tribe, Poaceae, 179, 184
 Babiana Ker Gawl., 47
 avicularis Goldblatt & J.C.Manning, 47
 ringens subsp. *australis* Goldblatt & J.C.Manning, 50
 teretifolia Goldblatt & J.C.Manning, 51
 basketry, 135
 Beaumont, A., 78
 Berkheya chrysanthemoides J.C.Manning & Goldblatt, 185
 Bester, S.P., 82
 Blechnaceae, 71
 Blumenavia angolensis (Welw. & Curr.) Dring., 156
 Boatwright, J.S. *Pearsonia mabanensis*, an overlooked synonym of *P. sessilifolia* subsp. *marginata* (Fabaceae: tribe Crotalarieae), 83
 Boatwright, J.S. & Manning, J.C. Inclusion of the genus *Jodrellia* in *Bulbine* (Asphodelaceae: Asphodeloideae), 59
 Bolibar, Santiago Castroviejo (1946–2009), 145
 Boraginaceae, 90
 Bottomley, A.M., 155, 172
 Brueton, V.J., 75
 Brunia compacta A.V.Hall, 97
 Bruniaceae, 96
 Bruyns, P.V. A new name for *Euphorbia chamaeclada* from Angola (Euphorbiaceae), 178
 Bulbine Wolf, 59
 fistulosa Chiov., 59
 macrocarpa (Bajinath) Boatwr. & J.C.Manning, 59
 migiurtina Chiov., 59
 Bulbinella calcicola J.C.Manning & Goldblatt, 197
 Burrows, J.E. & Burrows, S.M. A new species of *Didymosalphinx* and a new species of *Oxyanthus* from Mozambique and Tanzania (Rubiaceae), 201
 Burrows, S.M., 201
 Buys, M.H. & Nordenstam, B. Nomenclatural notes on *Echium fruticosum* var. *major* and var. *minor* (Boraginaceae), 90
 Cacalia rigida Thunb., 41
 Calopsis Beauv. ex Desv., 15, 20
 adpressa Esterh., 24
 andreaeana (Pillans) H.P.Linder, 24
 aspera (Mast.) H.P.Linder, 21
 burchellii (Mast.) H.P.Linder, 24
 clandestina Esterh., 22
 dura Esterh., 24
 esterhuyseniae (Pillans) H.P.Linder, 17
 filiformis (Mast.) H.P.Linder, 24
 fruticosa (Mast.) H.P.Linder, 24
 gracilis (Mast.) H.P.Linder, 24
 hyalina (Mast.) H.P.Linder, 21
 levynsiae (Pillans) H.P.Linder, 21
 marlothii (Pillans) H.P. Linder, 24
 monostylis (Pillans) H.P.Linder, 17
 muirii (Pillans) H.P.Linder, 24
 nudiflora (Pillans) H.P.Linder, 22
 pulchra Esterh., 21
 rigida (Mast.) H.P.Linder, 21
 rigorata (Mast.) H.P.Linder, 24
 sparsa Esterh., 22
 Calorophus
 asper (Mast.) Kuntze, 21
 burchellii (Mast.) Kuntze, 21
 filiformis (Mast.) Kuntze, 24
 gracilis (Mast.) Kuntze, 24
 Calvatia
 cyathiformis (Bosc) Morgan, 173, 174
 pyriformis (Lév.) Kreisel, 173
 Campanulaceae, 103
 Campanuloideae, subfamily, Campanulaceae, 103
 Cape flora, 103
 Cape Floristic Region, 193
 Cape
 Eastern, 71, 82
 southern, 161
 southwestern, 185

- Cape (cont.)
 Western, 47, 96, 197
 carpels, 103
Chamaerops biroo Siebold, 55
 checklist, 205
Cheilanthes
buchananii (Baker) Domin, 84
inaequalis (Kunze) Mett. var. *buchananii* (Baker) Schelpe, 84
lanceolata (Bonap.) J.P.Roux, 82
lanceolata C.Chr., 81
marlothii (Hieron.) Domin, 84
marlothii (Hieron.) Schelpe, 84
perrieri J.P.Roux, 81, 82
Chondropetalum Rottb., 11
Cineraria
incisa (Thunb.) Willd., 44
pandurata Thunb., 44
perfoliata L.f., 39
Cissus
omburensis Gilg & M.Brandt, 168
schlechteri Gilg & M.Brandt, 168
unguiformifolius C.A.Sm., 168
 Claßen-Bockhoff, R., 96
 Clathraceae Chevall., 155
Clathrella baumii (P. Henn.) Ed. Fischer, 157
Clathrus L. : *Pers.*, 157
baumii Henn., 157
cibarius (Tulasne) Ed. Fischer, 157
gracilis (Berkeley) Schlechtendal, 157
Clathrus P.Micheli ex L. : *Pers.*, 157
 cluster analysis, 219
 Coetzee, J.C. Taxonomic notes on the Clathraceae (Phallales: Phallomycetidae) *sensu* Bottomley and a new key to the species in southern Africa, 155
 Coetzee, J.C. & Van Wyk, A.E. Taxonomic and nomenclatural notes on Bottomley's 'doubtful, unknown and insufficiently described' species of *Lycoperdon* (Lycoperdaceae: Gasteromycetes), 172
 Colchicaceae, 175
Colchicum albofenestratum J.C.Manning & Snijman, 175
 comb. nov., 8, 11, 17, 21, 22, 24, 26–28, 30, 31, 39, 59, 64, 102
 Comoro Archipelago, 169
 conservation, 219
Craspedolepis Steud., 15, 17
Crassocephalum flavum Decne., 45
 Crocoideae, Iridaceae, 47
 Crotalariaeae, tribe, Fabaceae, 83
 Crouch, N.R., 68, 167
 Crouch, N.R., Beaumont, A. & Smith, G.F. First description of female flowers of the dioecious *Adenia fruticosa* subsp. *trifoliolata* (Passifloraceae), 78
 Crouch, N.R. & Edwards, R. First record of *Geophila* in southern Africa (Rubiaceae), 70
 Crouch, N.R. & Kloppe, R.R. Notes on some naturalized ferns of the Eastern Cape and KwaZulu-Natal (Pteridophyta), 71
 Crouch, N.R., Kloppe, R.R. & Glen, H.F. The status of *Pleopodium* in Africa (Pteridophyta: Polypodiaceae), 101
 Crouch, N.R. & Styles, D.G.A. Rediscovery in South Africa of the neglected African vegetable *Plectranthus esculentus* (Lamiaceae), 65
 Crouch, N.R., Williams, V.L., Edwards, T.J. & Brueton, V.J. *Drimia cooperi* in KwaZulu-Natal, and the ethnomedicinal trade (Hyacinthaceae), 75
 Cupido, C.N., 103
 cutting disturbance, 135
 Cyphostemma
omburensis (Gilg & M.Brandt) Desc., 168
schlechteri (Gilg & M.Brandt) Desc., 168
unguiformifolium (C.A.Sm.) Desc., 168
 Daemane, M.E., Van Wyk, B-E. & Moteetee, A. Checklist of ferns and seed plants of the Golden Gate Highlands National Park, South Africa, 205
Didymoglossum erosum (Willd.) Beentje, 68
Didymosalpinx callianthus J.E.Burrows & S.M.Burrows, 201
Diplazium esculentum (Retz.) Sw., 74
 Doodia
caudata (Cav.) R.Br., 72
squarrosa sensu Roux, 72
 Doria
abrotanifolia Harv., 37
gymnodiscus DC., 40
incisa Thunb., 44
lingua (L.f.) DC., 39
perfoliata (L.f.) Thunb., 39
rigida (Thunb.) Harv., 41
semicalva DC., 40
spinescens DC., 41
undulosa DC., 39
Dovea Kunth, 11
 Dowe, J.L., 55
 Drakensberg, 117
 southern, 82
 Dreyer, L.L., 177
Drimia cooperi (Baker) Baker, 77
 Dryopteridaceae, 82
 Eastern Cape, 71, 82
Echium fruticosum L.
 var. (a) *major* Sims, 91
 var. (b) *minor* Sims, 91
 var. *major* Lehm., 91
 ecology, 117, 135, 219
 Eddie, W.M.M., Cupido, C.N. & Skvarla, J.J. Pollen and reproductive morphology of *Rhigiophyllum* and *Siphocodon* (Campanulaceae): two unique genera of the fynbos vegetation of South Africa, 103
 Edwards, R., 70
 Edwards, T.J., 75
Elaphoglossum spatulatum (Bory) T.Moore var. *spatulatum*, 82
Elegia L., 11
acockii (Pillans) Moline & H.P.Linder, 14
aggregata (Mast.) Moline & H.P.Linder, 14
altigena Pillans, 14
amoena Pillans, 14
asperiflora (Nees) Kunth, 14
atratiflora Esterh., 14
caespitosa Esterh., 14

Elegia L. (cont.)

- capensis (*Burm.f.*) *Schelpe*, 14
- coleura *Nees ex Mast.*, 14
- cuspidata *Mast.*, 12
- decipiens (*Esterh.*) *Moline & H.P.Linder*, 14
- deusta (*Rottb.*) *Kunth*, 14
- dregeana *Kunth*, 14
- ebracteata (*Kunth*) *Moline & H.P.Linder*, 14
- elephantina *H.P.Linder*, 12
- equisetacea *Mast.*, 14
- esterhuyseniae *Pillans*, 14
- extensa *Pillans*, 14
- fastigiata *Mast.*, 14
- fenestrata *Pillans*, 14
- filacea *Mast.*, 14
- fistulosa *Kunth*, 14
- fucata *Esterh.*, 14
- galpinii *N.E.Br.*, 14
- grandis (*Nees*) *Kunth*, 14
- grandispicata *H.P.Linder*, 14
- hookeriana (*Mast.*) *Moline & H.P.Linder*, 14
- hutchinsonii *Pillans*, 14
- intermedia (*Steud.*) *Pillans*, 14
- junceae *L.*, 14
- macrocarpa (*Kunth*) *Moline & H.P.Linder*, 14
- marlothii (*Pillans*) *Moline & H.P.Linder*, 14
- microcarpa (*Kunth*) *Moline & H.P.Linder*, 14
- mucronata (*Nees*) *Kunth*, 12
- muirii *Pillans*, 14
- neesii *Mast.*, 14
- nuda (*Rottb.*) *Kunth*, 12
- persistens *Mast.*, 14
- prominens *Pillans*, 14
- racemosa (*Poir.*) *Pers.*, 14
- recta (*Mast.*) *Moline & H.P.Linder*, 14
- rigida *Mast.*, 14
- spathacea *Mast.*, 14
- squamosa *Mast.*, 14
- stipularis *Mast.*, 14
- stokoei *Pillans*, 14
- tectorum (*L.f.*) *Moline & H.P.Linder*, 12
- thyrsifera (*Rottb.*) *Pers.*, 14
- thyrsioidea (*Mast.*) *Pillans*, 14
- vaginulata *Mast.*, 14
- verreauxii *Mast.*, 14
- Elephantorrhiza
 - rangei* *Harms*, 184
 - suffruticosa* *Schinz*, 184
- Elicotrichon sempervirens* *Besser ex Andr.*, 184
- ethnomedicinal trade, 75
- Euphorbia
 - chamaeclada* *Bruyns*, 178
 - neochamaeclada* *Bruyns*, 178
- Euphorbiaceae, 178
- Euryops abrotanifolius (*L.*) *DC.*, 37
- extinction, 219
- Fabaceae, 83, 183
- family
 - Arecaceae, 55
 - Asphodelaceae, 58, 59, 91, 93, 197
 - Asteraceae, 37, 185, 193

- Blechnaceae, 71
- Boraginaceae, 90
- Buriniaceae, 96
- Campanulaceae, 103
- Clathraceae, 155
- Colchicaceae, 175
- Dryopteridaceae, 82
- Euphorbiaceae, 178
- Fabaceae, 83, 183
- Hyacinthaceae, 75
- Hymenophyllaceae, 68
- Iridaceae, 47, 59, 147, 169
- Isoetaceae, 82
- Lamiaceae, 65
- Lycoperdaceae, Gasteromycetes, 172
- Oxalidaceae, 177
- Passifloraceae, 78
- Poaceae, 179, 184, 190
- Polypodiaceae, Pteridophyta, 73, 101
- Pteridaceae, Pteridophyta, 81
- Restionaceae, 1
- Rubiaceae, 70, 201
- Scrophulariaceae, 84, 161
- Sinopteridaceae, Pteridophyta, 84
- Thelypteridaceae, 68
- Vitaceae, 167
- Woodsiaceae, 73
- female flowers, 78
- first record, 55, 70
- Fish, L., 179, 184
- floral evolution, 103
- floristic composition, 117
- fragmentation, 219
- Free State, 58, 205
- fynbos, 103
- Gasteromycetes, 155, 172
- gen. nov., 6
- generic classification, 1
- Geophila repens* (*L.*) *I.M.Johnston*, 70
- Geosiridoideae, subfamily, Iridaceae, 169
- Geosiris albiflora* *Goldblatt & J.C.Manning*, 170
- Glen, H.F., 101
- Goldblatt, P. & Manning, J.C. *Geosiris albiflora* (Iridaceae: Geosiridoideae), a new species from the Comoro Archipelago, 169
- Goldblatt, P. & Manning, J.C. *Moraea intermedia* and *M. vuvuzela* (Iridaceae–Iridoideae), two new species from western South Africa, and some nomenclatural changes and range extensions in the genus, 147
- Goldblatt, P. & Manning, J.C. New taxa of *Babiana* (Iridaceae: Crocoideae) from coastal Western Cape, South Africa, 47
- Goldblatt, P. & Manning, J.C. Reappraisal of *Ixia maculata* with *I. calendulacea* sp. nov., and an earlier name for *I. lutea* (Iridaceae), 59
- Goldblatt, P., 37, 84, 185, 193, 197
- Golden Gate Highlands National Park, 205
- Gorteriinae, subtribe, Asteraceae, 185
- grasslands, 117
- Grobler, A. & Van Wyk, A.E. Taxonomic status of *Elephantorrhiza rangei* (Fabaceae: Mimosoideae), 183

- guide for authors to *Bothalia*, 239
- Hall, A.V., Oliver, E.G.H. & Claßen-Bockhoff, R. New species of *Thamnea* and *Brunia* from Western Cape, South Africa (Bruniaceae), 96
- Hardy, C.R., 1
- harvesting impacts, 135
- Haworthia bolusii var. blackbeardiana (Poelln.) M.B. Bayer, 58
- Helictotrichon Besser ex Schult. & Schult.f., 185
- rogerellisii Mashau, L.Fish & A.E.van Wyk, 179
- rogeveldense Mashau, L.Fish & A.E.van Wyk, 179
- Helme, N.A., 185
- Hemionitis esculenta Retz., 74
- Heterorhachis hystrix J.C.Manning & P.O.Karis, 188
- homogeneity, 219
- Hyacinthaceae, 75
- Hymenophyllaceae, 68
- Hypolaena
- aspera Mast., 21
- burchellii Mast., 21, 24
- filiformis Mast., 24
- gracilis Nees ex Mast., 24
- hyalina Mast., 21
- mahonii N.E.Br., 8
- Ileodictyon
- cibarium Tul., 157
- gracile Berk., 157
- Iridaceae, 47, 59, 147, 169
- Iridoideae, subfamily, Iridaceae, 147
- Ischyrolepis Steud., 15, 24
- affinis Esterh., 28
- caespitosa Esterh., 27
- capensis (L.) Linder, 30
- curvibracteata Esterh., 28
- feminea Esterh., 26
- karooica Esterh., 28
- longiaristata Pillans, 26
- nana Esterh., 27
- nubigena Esterh., 30
- papillosa Esterh., 26
- pratensis Esterh., 26
- rivula Esterh., 26
- saxatilis Esterh., 27
- sporadica Esterh., 26
- unispicata H.P.Linder, 31
- wittebergensis Esterh., 28
- Isoetaceae, 82
- Isoetes transvaalensis Jermy & Schelpe, 82
- Ixia
- abbreviata Houtt., 64
- var. ovata (Andrews) Goldblatt & J.C.Manning, 64
- calendulacea Goldblatt & J.C.Manning, 60
- capitata var. ovata Andrews, 64
- lutea Eckl., 64
- var. ovata (Andrews) B.Nord., 64
- maculata var. intermedia G.J.Lewis, 60
- Jodrellia Baijnath, 59
- fistulosa (Chiov.) Baijnath, 59
- macrocarpa Baijnath, 59
- migiurtina (Chiov.) Baijnath, 59
- Jonaskop, South Africa, 190
- Karis, P.O., 185
- key
- Adenia fruticosa subsp. 78
- Clathraceae spp., 157
- distinctions between Ixia calendulacea and I. maculata, 63
- genera of Restioneae, 5
- Kleinia rigida (Thunb.) DC., 41
- Klopper, R.R., 71, 101
- Klopper, R.R., Bester, S.P. & Smith, G.F. Range extension records from the southern Drakensberg, Eastern Cape, South Africa (Pteridophyta), 82
- Klopper, R.R. & Crouch, N.R. New distribution records and noteworthy collections of pteridophytes in KwaZulu-Natal (Pteridophyta), 68
- Klopper, R.R. & Smith, G.F. Aloe neilcrouchii, a new robust leptaloe from KwaZulu-Natal, South Africa (Asphodelaceae: Alooideae), 93
- Klopper, R.R. & Smith, G.F. Reinstatement of Aloe spectabilis (Asphodelaceae: Alooideae), 91
- Knight, R.S., 219
- Kotze, D.C., 117, 135
- KwaZulu-Natal, 68, 71, 75, 93, 135
- Lamiaceae, 65
- Lamprocaulis Mast., 11
- Latania
- borbonica auct. non Lam., 55
- chinensis Jacq., 55
- olivaeformis (Hassk.) Devansaye, 55
- Leistner, O.A. Obituary: Michael John Wells (1935–2010), 227
- leptaloe, 93
- Leptocarpus
- andreaeanus Pillans, 24
- asper (Mast.) Pillans, 21
- burchellii Mast., 24
- esterhuysenae Pillans, 17
- fruticosus Mast., 24
- gracilis (Mast.) Pillans, 24
- hyalinus (Mast.) Pillans, 21
- levynsiae Pillans, 21
- marlothii Pillans, 24
- membranaceus Pillans, 21
- monostylis Pillans, 17
- muirii Pillans, 24
- nudiflorus Pillans, 22
- rigida Mast., 21
- rigoratus Mast., 24
- Limoselleae, tribe, Scrophulariaceae, 84
- Linder, H.P. A new species of Pentameris from Jonaskop, South Africa (Poaceae), 190
- Linder, H.P. & Hardy, C.R. A generic classification of the Restioneae (Restionaceae), southern Africa, 1
- Linderiella G.H.Cunningham, 156
- columnata (Bosc.) G.H.Cunningham, 156
- Livistona
- chinensis (Jacq.) R.Br. ex Mart., 55
- var. subglobosa (Hassk.) Becc., 55
- japonica Nakai ex Masam. (as Livistonia japonica), 55
- mauritanica Wall. ex Mart., 55
- olivaeformis (Hassk.) Mart., 55

- Livistona (cont.)
sinensis Griff., 55
subglobosa (Hassk.) Mart., 55
- Lobostemon
argenteus (P.J.Bergius) H.Buek, 91
fruticosus (L.) H.Buek, 91
- Lotononis marginata* Schinz, 83
- Lycoperdaceae, Gasteromycetes, 172
- Lycoperdon*
asperrimum Welw. & Curr., 172
curreyi Massee, 173
gardneri Berk., 173
laetum Berk., 174
natalense Fr., 174
- Lysurus Fr., 156
cruciatum (Lepr. & Mont.) Henn., 156
- Maloti-Drakensberg Transfrontier Park, 117
- management, 135
- Manning, J.C., 47, 59, 147, 169, 175
- Manning, J.C. & Goldblatt, P. *Bulbinella calcicola*, a new species from Saldanha Bay, Western Cape (Asphodelaceae), 197
- Manning, J.C. & Goldblatt, P. New synonyms and a new name in Asteraceae: Senecioneae from the southern African winter rainfall region, 37
- Manning, J.C. & Goldblatt, P. *Senecio comptonii* and *S. esterhuyseniae*, two new species of *Senecio sens. lat.* (Asteraceae: Senecioneae) from the Cape Floristic Region, 193
- Manning, J.C. & Goldblatt, P. Two new species of Limoselleae from western South Africa: *Trieenia occulta* and *Zaluzianskya regalis* (Scrophulariaceae), 84
- Manning, J.C., Karis, P.O., Goldblatt, P. & Helme, N.A. *Berkheya chrysanthemoides* and *Heterorhachis hystrix*, two new species of Arctotideae–Gorteriinae from the southwestern Cape (Asteraceae), 185
- Mashau, A.C., Fish, L. & Van Wyk, A.E. The correct author citation of *Helictotrichon* (Poaceae: Pooidae: Aveneae), 184
- Mashau, A.C., Fish, L. & Van Wyk, A.E. Two new species of *Helictotrichon* (Poaceae: Pooidae: Aveneae) from South Africa, 179
- Mastersiella hyalina* (Mast.) Gilg-Ben., 21
- McKean, S.G., 135
- Mimosoideae, subfamily, Fabaceae, 183
- mires, 117
- Momberg, B.A. Compiler: South African National Biodiversity Institute: publications 1 Jan. 2009 to 31 December 2009, 233
- Moraea Mill., 147
barkeri Goldblatt, 152
diphylla Baker, 151
filicaulis Baker, 151
fugax subsp. *filicaulis* (Baker) Goldblatt, 151
intermedia Goldblatt & J.C.Manning, 147
macrocarpa Goldblatt, 152
monophylla Baker, 152
punctata Baker, 152
tricolor Andrews, 153
vuvuzela Goldblatt & J.C.Manning, 148
- morphology, 103
- Morris, C.D., 117
- Moteetee, A., 205
- Mozambique, 201
- Namaqualand, 175
- naturalized
 ferns, 71
 palm, 55
- Nemesia Vent., 161
elata K.E.Steiner, 164
fourcadei K.E.Steiner, 161
- new
 combination, 8, 11, 17, 21, 22, 24, 26–28, 30, 31, 39, 59, 64, 102
 genus, 6
 name, 17, 21, 22, 24, 37, 81, 178
 records, 68
 species, 11, 12, 22, 26–30, 47, 51, 60, 85, 87, 95–97, 147, 148, 161, 164, 170, 175, 179, 185, 188, 191, 193, 195, 197, 201, 202
 status, 17, 20, 24
 subgenus, 16–18, 20, 23
 subspecies, 50
 synonym, 37, 39–45, 59, 83
 tribe, 113
- Newton, I.P. & Knight, R.S. How homogeneous is West Coast Renosterveld? Implications for conservation, 219
- nom. nov., 17, 21, 22, 24, 37, 81, 178
- nom. nud. (name unaccompanied by a description or reference to a published description), 184
- nomenclature, 81, 90, 155, 172
- Nordenstam, B., 90
- northeastern Free State, 205
- Notholaena*
buchananii Baker, 84
lanceolata Bonap., 81
 var. *madagascariensis* (Bonap.) Tardieu, 82
madagascariensis Bonap., 81
- Oberlander, K.C., Dreyer, L.L. & Roets, F. Rediscovery and phylogenetic position of the rare *Oxalis purpurata* (Oxalidaceae), 177
- obituary
 Michael John Wells (1935–2010), 227
 Santiago Castroviejo Bolibar (1946–2009), 145
- Oliver, E.G.H., 96
- Ornithogalum cooperi* Baker, 77
- Othonna L., 37
abrotanifolia (Harv.) Druce, 37
abrotanifolia L., 37
amplexicaulis Thunb., 41
amplexifolia DC., 39
bulbosa L., 39
bulbosa Thunb., 39
cakilefolia var. *latifolia* DC., 40
daucifolia J.C.Manning & Goldblatt, 37
filicaulis Jacq., 39
filiformis sensu auct., non Jacq., 39
gymnodiscus (DC.) Sch.Bip., 40
incisa Harv., 40

- Othonna* L. (cont.)
lingua L.f., 39
 sensu Goldblatt & Manning, 40
perfoliata (L.f.) Jacq., 39
perfoliata (L.f.) Sch.Bip., 39
retrorsa DC., 41
 var. *linearifolia* DC., 41
 var. *spektakelensis* (Compton) G.D.Rowley, 41
rhamnoides Sch.Bip., 41
rigida DC., 41
rosea Harv., 40
semicalva (DC.) Sch.Bip., 40
spektakelensis Compton, 41
spinescens DC., 41
undulosa (DC.) J.C.Manning & Goldblatt, 39
zeyheri Sond. ex Harv., 41
Oxalidaceae, 177
Oxalis purpurata Jacq., 177
Oxyanthus biflorus J.E.Burrows & S.M.Burrows, 202
Passifloraceae, 78
Pearsonia
 mbabanensis Compton, 83
 sessilifolia (Harv.) Dümmer subsp. *marginata* (Schinz) Polhill, 83
Pentameris ellisii H.P.Linder, 191
Phallales E.Fisch., order, 155
Phallomycetidae K.Hosaka, Castellano & Spatafora), subclass, Phallales, 155
Phlebodium aureum (L.) J.Sm., 73
phylogeny, 177
Platycaulos H.P.Linder, 6
 acutus Esterh., 8
 anceps (Mast.) H.P.Linder, 8
 callistachyus (Kunth) H.P.Linder, 8
 ascadensis (Pillans) H.P.Linder, 8
 compressus (Rottb.) H.P.Linder, 8
 depauperatus (Kunth) H.P.Linder, 8
 galpinii (Pillans) H.P.Linder & C.R.Hardy, 8
 mahonii (N.E.Br.) H.P.Linder & C.R.Hardy, 8
 subsp. *humbertii* (Cherm.) H.P.Linder & C.R.Hardy, 8
 subsp. *mahonii*, 8
 major (Mast.) H.P.Linder, 8
 mlanjensis (H.P.Linder) H.P.Linder & C.R.Hardy, 8
 quartziticola (H.P.Linder) H.P.Linder & C.R.Hardy, 8
 subcompressus (Pillans) H.P.Linder, 8
Plectranthus esculentus N.E.Br., 65
Pleopeltis
 macrocarpa (Bory ex Willd.) Kaulf. forma *sinuata* (Sim) Schelpe, 102
 × *simiana* (Schelpe & N.C.Anthony) N.R.Crouch & Kloppe subsp. *simiana*, 102
 × *Pleopodium* *simianum* Schelpe & N.C.Anthony, 102
Poaceae, 179, 184, 190
pollen, 103
Polypodiaceae, 73, 101
Polypodium
 aureum L., 73
 lanceolatum L. var. *sinuatum* Sim, 102
Pooideae, subfamily, Poaceae, 179, 184
Pteridaceae, Pteridophyta, 81
Pteridophyta, 68, 71, 81, 82, 84, 101
range extension, 82, 147
Restio Rottb., 15
 acockii Pillans, 18
 adpressus (Esterh.) H.P.Linder & C.R.Hardy, 24
 affinis (Esterh.) H.P.Linder & C.R.Hardy, 28
 albotuberculatus H.P.Linder & C.R.Hardy, 24
 alticola Pillans, 22
 ambiguus Mast., 6
 andreaeanus (Pillans) H.P.Linder & C.R.Hardy, 24
 anomalus H.P.Linder, 26
 arcuatus Mast., 22
 aridus Pillans, 30
 asperus (Mast.) H.P.Linder & C.R.Hardy, 21
 aureolus Pillans, 18
 bifarius Mast., 17
 bifidus Thunb., 17
 bifurcus Nees ex Mast., 18
 bolusii Pillans, 18
 brachiatus (Mast.) Pillans, 18
 brunneus Pillans, 18
 burchellii Pillans, 18
 caespitosus (Esterh.) H.P.Linder & C.R.Hardy, 27
 calcicola H.P.Linder & C.R.Hardy, 24
 capensis (L.) H.P.Linder & C.R.Hardy, 30
 capillaris Kunth, 18
 cedarbergensis H.P.Linder, 29
 cinnatus Mast., 27
 clandestinus (Esterh.) H.P.Linder & C.R.Hardy, 22
 coactilis Mast., 28
 communis Pillans, 22
 confusus Pillans, 17
 constipatus H.P.Linder, 27
 corneolus Esterh., 22
 colliculospermus H.P.Linder, 22
 curvibracteatus (Esterh.) H.P.Linder & C.R.Hardy, 28
 curviramis Kunth, 27
 cymosus (Mast.) Pillans, 18
 debilis Nees, 20
 decipiens (N.E.Br.) H.P.Linder, 22
 degenerans Pillans, 22
 dichotomus L., 30
 dispar Mast., 22
 distans Pillans, 20
 distichus Rottb., 21
 distractus Mast., 31
 distylis H.P.Linder & C.R.Hardy, 17
 dodii Pillans
 var. *dodii*, 22
 var. *purpurascens* Pillans, 22
 durus (Esterh.) H.P.Linder & C.R.Hardy, 24
 duthieae Pillans, 27
 echinatus Kunth, 16
 egregius Hochst., 17
 ejuncidus Mast., 22
 eleocharis Mast., 30
 elsieae H.P.Linder, 28
 esterhuyseniae Pillans, 28
 femineus (Esterh.) H.P.Linder & C.R.Hardy, 26
 festuciformis Nees ex Mast., 22
 filiformis Poir., 18
 foliosus N.E.Br., 11
 fragilis Esterh., 22

Restio Rottb. (cont.)

- fraternus Kunth*, 28
fuscidulus Pillans, 30
fusiformis Pillans, 18
fruticosus Thunb., 24
galpinii Pillans, 8
gaudichaudianus Kunth, 30
 var. *luxurians* Pillans, 30
gossypinus Mast., 28
gracilis R.Br., 24
harveyi Mast., 21
helenae Mast., 30
hyalinus (Mast.) H.P.Linder & C.R.Hardy, 21
hystrix Mast., 28
implicatus Esterh., 22
impolitus Kunth, 22
inconspicuus Esterh., 22
ingens Esterh., 22
insignis Pillans, 18
inveteratus Esterh., 18
karooicus (Esterh.) H.P.Linder & C.R.Hardy, 28
laniger Kunth, 31
leptoclados Mast., 30
leptostachyus Kunth, 22
levynsiae (Pillans) H.P.Linder & C.R.Hardy, 21
longiaristatus (Pillans ex H.P.Linder) H.P.Linder & C.R.Hardy, 26
luxurians (Pillans) H.P.Linder, 30
macer Kunth, 26
madagascariensis Cherm. var. *humbertii Cherm.*, 8
mahonii (N.E.Br.) Linder subsp. humbertii (Cherm.) H.P.Linder, 8
mahonii (N.E.Br.) Pillans, 8
marlothii Pillans, 27
membranaceus Nees, 21
micans Nees, 17
miser Kunth, 17
mlanjiensis H.P.Linder, 8
monanthos Mast., 30
monostylis (Pillans) H.P.Linder & C.R.Hardy, 17
montanus Esterh., 22
muirii (Pillans) H.P.Linder & C.R.Hardy, 24
multiflorus Spreng., 22
nanus (Esterh.) H.P.Linder & C.R.Hardy, 27
nodosus Pillans, 18
nubigenus (Esterh.) H.P.Linder & C.R.Hardy, 30
nudiflorus (Pillans) H.P.Linder & C.R.Hardy, 22
nuwebergensis Esterh., 17
obscurus Pillans, 18
occultus (Mast.) Pillans, 18
ocreatus Kunth, 28
pachystachyus Kunth, 18
paludicola H.P.Linder, 22
paludosus Pillans, 26
paniculatus Rottb., 20
papillosus (Esterh.) H.P.Linder & C.R.Hardy, 26
papyraceus Pillans, 17
parthenocarpus H.P. Linder, 30
parvispiculus H.P.Linder & C.R.Hardy, 21
patens Mast., 18
peculiaris Esterh., 22
pedicellatus Mast., 16
perplexus Kunth, 18
perseverans Esterh., 18
pillansii H.P.Linder, 22
praeacutus Mast., 18
pratensis (Esterh.) H.P.Linder & C.R.Hardy, 26
pulcher (Esterh.) H.P.Linder & C.R.Hardy, 21
pulvinatus Esterh., 18
pumilus Esterh., 22
purpurascens Nees ex Mast., 22
pygmaeus Pillans, 26
quadratus Mast., 20
quartziticola H.P.Linder, 8
quinquefarius Nees, 20
ramosissimus H.P.Linder & C.R.Hardy, 24
rarus Esterh., 22
rigidus (Mast.) H.P.Linder & C.R.Hardy, 21
rigoratus (Mast.) H.P.Linder & C.R.Hardy, 24
rivulus (Esterh.) H.P.Linder & C.R.Hardy, 26
rottboellioides Kunth, 26
rudolfii (Pillans) H.P.Linder & C.R.Hardy, 24
rupicola Esterh., 18
sabulosus Pillans, 26
saroclados Mast. in A.DC., 22
saxatilis (Esterh.) H.P.Linder & C.R.Hardy, 27
scaber Mast., 22
scaberulus N.E.Br., 22
schoenoides Kunth, 27
secundus (Pillans) H.P.Linder, 22
sejunctus Mast., 22
setiger Kunth, 28
sieberi Kunth, 30
similis Pillans, 20
singularis Esterh., 22
sparsus Mast., 22
sporadicus (Esterh.) H.P.Linder & C.R.Hardy, 26
stereocaulis Mast., 16
stokoei Pillans, 22
strictus N.E.Br., 22
strobilifer Kunth, 18
 subgen. *Calopsis (Beauv. ex Desv.) H.P.Linder & C.R. Hardy*, 20
 subgen. *Craspedolepis (Steud.) H.P.Linder & C.R. Hardy*, 17
 subgen. *Eremorestio H.P.Linder & C.R.Hardy*, 20
 subgen. *Ischyrolepis (Steud.) H.P.Linder & C.R.Hardy*, 24
 subgen. *Locopsis H.P.Linder & C.R.Hardy*, 23
 subgen. *Pendulostemon H.P.Linder & C.R.Hardy*, 17
 subgen. *Restio*, 21
 subgen. *Simplicaulos H.P.Linder & C.R.Hardy*, 16
 subgen. *Varirestio H.P.Linder & C.R.Hardy*, 18
 subtilis Nees ex Mast., 17
 subverticellatus (Steud.) Mast., 30
tenuispicatus H.P.Linder & C.R.Hardy, 24
tenuissimus Kunth, 26
tetragonus Thunb., 20
triflora Rottb., 30
triticeus Rottb., 22
tuberculatus Pillans, 22
unispicatus (H.P.Linder) H.P.Linder & C.R.Hardy, 31

- Restio *Rottb.* (cont.)
 vallis-simius *H.P.Linder*, 22
 venustus *Kunth*, 31
 verrucosus *Esterh.*, 22
 versatilis *H.P.Linder*, 22
 vilis *Kunth*, 28
 villosus *H.P.Linder & C.R.Hardy*, 22
 vimineus *Rottb.*, 24
 virgeus *Mast.*, 28
 wallichii *Mast.*, 26
 wittebergensis (*Esterh.*) *H.P.Linder & C.R.Hardy*, 28
 zuluensis *H.P.Linder*, 22
 zwartbergensis *Pillans*, 22
- Restionaceae, 1
 Restioneae, tribe, 1
 Restionioideae, subfamily, 1
 Retief, E. & Crouch, N.R. The status of *Cyphostemma unguiformifolium* in southern Africa (Vitaceae), 167
 Rhigiophylleae *Eddie & Cupido*, tribe, 103, 113
 Rhodocoma *Nees*, 10
 alpina *H.P.Linder & Vlok*, 11
 arida *H.P.Linder & Vlok*, 11
 capensis *Nees ex Steud.*, 11
 foliosa (*N.E.Br.*) *H.P.Linder & C.R.Hardy*, 11
 fruticosa (*Thunb.*) *H.P.Linder*, 11
 gigantea (*Kunth*) *H.P.Linder*, 11
 gracilis *H.P.Linder & Vlok*, 11
 vleibergensis *H.P.Linder*, 11
- Roets, F., 177
 Roux, J.P. *Cheilanthes perrieri* J.P.Roux, nom. nov. (Pteridophyta: Pteridaceae), correcting a nomenclatural error, 81
 Roux, J.P. The correct author citation for *Cheilanthes marlothii* (Pteridophyta: Sinopteridaceae), 84
 Rubiaceae, 70, 201
 Saldanha Bay, Western Cape, 197
 Saribus
 chinensis (*Jacq.*) *Blume*, 55
 olivaeformis *Hassk.*, 55
 subglobosus *Hassk.*, 55
Schoenus capensis *L.*, 30
 Scrophulariaceae, 84, 161
 seed pockets, 103
 Senecio *L.*, 37
 albopunctatus *Bolus*, 42
 arenarius *Thunb.*, 43
 asperulus *DC.*, 43
 cakilefolius *DC.*, 43
 carroensis *DC.*, 43
 comptonii *J.C.Manning & Goldbatt*, 193
 eriobasis *DC.*, 44
 erosus *L.f.*, 44
 esterhuyseniae *J.C.Manning & Goldblatt*, 195
 flavus (*Decne.*) *Sch.Bip.*, 45
 linifolius *L.*, 45
 lobelioides *DC.*, 45
 longipedunculatus *Dinter*, 42
 maydae *Merxm.*, 42
 odontophyllus sensu *Goldblatt & Manning*, 45
 panduratus (*Thunb.*) *Less.*, 44
 panduratus sensu *DC.*, non (*Thunb.*) *Less.*, 45
 parvifolius *DC.*, 43
 pearsonii *Hutch.*, 43
 robertiifolius *DC.*, 45
 Senecioneae, tribe, Asteraceae, 37, 193
 Sieben, E.J.J., Kotze, D.C. & Morris, C.D. Floristic composition of wetlands of the South African section of the Maloti-Drakensberg Transfrontier Park, 117
 Siebert, S.J., Zobolo, A.M. & Dowe, J.L. *Livistona chinensis*, a first record of a naturalized palm in South Africa (Arecaceae), 55
 Sinopteridaceae, Pteridophyta, 84
 Siphocodoneae *Takht.*, 113
 Siphocodoninae *Sond.* (as '*Siphocodeae*'), 113
 Skvarla, J.J., 103
 Smith, G.F. Obituary: Santiago Castroviejo Bolibar (1946–2009), 145
 Smith, G.F., 58, 78, 82, 91, 93
 Snijman, D.A. & Manning, J.C. *Colchicum albofenestratum*, a new species from Namaqualand, South Africa (Colchicaceae), 175
 soil wetness, 117
 Soroveta *H.P.Linder & C.R.Hardy*, 6
 ambigua (*Mast.*) *H.P.Linder & C.R.Hardy*, 6
 South Africa, 47, 55, 58, 65, 82, 84, 93, 96, 103, 117, 147, 161, 175, 179, 190, 205, 219
 southern
 Africa, 1, 37, 70, 155, 167
 Cape, 161
 southwestern Cape, 185
 sp. nov., 11, 12, 22, 26–30, 47, 51, 60, 85, 87, 95–97, 147, 148, 161, 164, 169, 170, 175, 179, 185, 188, 191, 193, 195, 197, 201, 202
 syn. nov., 184
 synonym, 184
 Staberoha *Kunth*, 8
 aemula (*Kunth*) *Pillans*, 9
 banksii *Pillans*, 9
 cernua (*L.f.*) *Dur. & Schinz*, 9
 distachyos (*Rottb.*) *Kunth*, 9
 multispicula *Pillans*, 9
 ornata *Esterh.*, 9
 remota *Pillans*, 9
 stokoei *Pillans*, 9
 vaginata (*Thunb.*) *Pillans*, 9
 staff publications, 233
 stat. nov., 17, 20, 24
 Steiner, K.E. Two new species of *Nemesia* (Scrophulariaceae) from the southern Cape, South Africa, 161
 Styles, D.G.A., 65
 subfamily
 Aloioideae, Asphodelaceae, 91, 93
 Asphodeloideae, Asphodelaceae, 59
 Campanuloideae, Campanulaceae, 103
 Geosiridoideae, Iridaceae, 169
 Iridoideae, Iridaceae, 147
 Mimosoideae, Fabaceae, 183
 Pooideae, 179, 184
 Restionioideae, Restionaceae, 1
 Wahlenbergioideae, Campanulaceae, 103
 subgen. nov., 16–18, 20, 23

- subsp. nov., 50
 subtribe Gorteriinae, tribe Arctotideae, Asteraceae, 185
 sustainable utilization, 135
 syn. nov., 39–45, 59
 systematics, 47
 Tanzania, 201
 taxonomy, 1, 37, 47, 55, 59, 68, 71, 75, 78, 81, 83, 84, 90, 91, 93, 96, 101, 113, 147, 155, 161, 167, 169, 172, 175, 177–179, 183–185, 190, 193, 197, 201
Thamnea matroosbergensis A.V.Hall, 96
Thamnochortus P.J.Bergius, 9
 acuminatus Pillans, 10
 amoena H.P.Linder, 10
 arenarius Esterh., 10
 bachmannii Mast., 10
 cinereus H.P.Linder, 10
 dichotomus (L.) Spreng., 30
 dumosus Mast., 10
 ellipticus Pillans, 10
 erectus (Thunb.) Mast., 10
 fraternus Pillans, 10
 fruticosus P.J.Bergius, 10
 glaber (Mast.) Pillans, 10
 gracilis Mast., 10
 guthrieae Pillans, 10
 insignis Mast., 10
 karooica H.P.Linder, 10
 levynsiae Pillans, 10
 lucens (Poir.) H.P.Linder, 10
 muirii Pillans, 10
 nutans (Thunb.) Pillans, 10
 obtusus Pillans, 10
 paniculatus Mast., 10
 papyraceus Pillans, 10
 pellucidus Pillans, 10
 platypteris Kunth, 10
 pluristachyus Mast., 10
 pulcher Pillans, 10
 punctatus Pillans, 10
 rigidus Esterh., 10
 schlechteri Pillans, 10
 spicigerus (Thunb.) Spreng., 10
 sporadicus Pillans, 10
 stokoei Pillans, 10
 Thelypteridaceae, 68
Thelypteris oppositifolius (C.Chr.) Ching, 68
 Transfrontier Conservation Area, 205
 Traynor, C.H., Kotze, D.C. & McKean, S.G. Wetland craft plants in KwaZulu-Natal: an ecological review of harvesting impacts and implications for sustainable utilization, 135
 tribe
 Arctotideae, Asteraceae, 185
 Aveneae, Poaceae, 179, 184
 Crotalariaeae, Fabaceae, 83
 Limoselleae, Scrophulariaceae, 84
 Restioneae, Restionaceae, 1
 Rhigiophylleae Eddie & Cupido, tribe, 113
 Senecioneae, tribe, Asteraceae, 37, 193
 tribus nov., 113
Trichomanes erosum Willd., 68
Trieenia occulta J.C.Manning & Goldblatt, 85
Urginea echinostachya Baker, 77
 Van Wyk, A.E., 172, 179, 183, 184
 Van Wyk, B-E., 205
 Vascellum
 asperrimum (Welw. & Curr.) Kreisel, 172
 sp., 174
 Vitaceae, 167
 Wahlenbergioideae, subfamily, Campanulaceae, 103
 Wells, Michael John (1935–2010), 227
 West Coast Renosterveld, 219
 Western Cape, 47, 96, 197
 wetland(s), 117
 craft plants, 135
 wise use, 135
 Williams, V.L., 75
 winter rainfall region, 37, 47
 Woodsiaaceae, 73
Zaluzianskya regalis J.C.Manning & Goldblatt, 87
 Zietsman, P.C. & Smith, G.F. Occurrence of *Haworthia bolusii* var. *blackbeardiana* in the Free State, South Africa (Asphodelaceae), 58
 Zobolo, A.M., 55

